dynarex®
we care like family™

Item 10710

STANDARD TRAPEZE BAR

WITH STAND



DEHP

Not made with natural rubber latex.

Congratulations on your purchase of our Standard Trapeze Bar with Stand! Our trapeze bar is engineered and designed with durability and easy maintenance in mind.

The trapeze bar will allow patients to lift themselves while in bed.

Please read through this manual and get acquainted with your Standard Trapeze Bar with Stand. Follow the maintenance schedule to ensure proper functioning of your unit.

SAFETY PRECAUTIONS

Do not operate your Standard Trapeze Bar with Stand until you read and fully understand this manual.


- Do not operate your trapeze bar until it is fully assembled and checked.
- The Standard Trapeze Bar with Stand, used in conjunction with a bed, can assist an individual weighing up to 250 lb. (113 kg). It is designed to provide support, increase stability and assist the user when repositioning himself/herself in bed. It is not designed, however, to support the total body weight of an individual.
  Use it for assistance only.
- Do not modify or replace with parts other than those manufactured by Dynarex.




ASSEMBLY INSTRUCTIONS


1. Please carefully unpack the container and remove the Standard Trapeze Bar with Stand from the shipping cartons.
2. Inspect the packaging, and make sure that there are no shipping damages and all the components are in the shipping cartons.

A) Floor Base (× 2)
B) A-shaped Body Frame
C) Long Trapeze Post
D) Short Trapeze Post
E) Trapeze Arm
F) Bracket Clamps (1 top, 1 bottom)
G) Triangle Grab Bar Assembly
H) Clevis Pins



3. Insert the A-shaped body frame into the two floor base legs. The protruding tabs on the A-shaped body frame should be facing forward. Insert clevis pin through the base leg to secure it together with the body frame. Fasten a split pin to the clevis pin.






4. Place the clamps between the two protruding tabs onto the horizontal bars of the body frame, clamping over the bars. The clamp with a wall stopper should be placed on the top of the A-shaped body frame. Do not tighten the clamps at this point.






5. Insert the trapeze post from the top through the holders at the rear of the bracket clamps. Rotate the locking pin at the bottom holder to secure the upright frame in place. Tighten the top and bottom clamps to the body frame.









6. Remove the nuts and bolts pre-fastened to the trapeze post. Insert the short trapeze post into the top of the long trapeze post. Ensure the bottom two holes on the short straight upright frame align with the mounting holes on the long upright frame. Secure the frames together with bolts and nuts.





7. Insert the mounting end of the trapeze arm into the top of the short trapeze post. The other end of the bow-shape frame should be facing forward. Re-insert the bolts through the mounting holes and secure with nuts.





8. Secure the end of the grab bar chain to the holder on the top of the trapeze bar, slide the holder to adjust the position of the triangle grab bar. Fix the holder position by turning the locking pin clockwise.



9. Move the assembled trapeze bar to the head of the bed.
10. To adjust the height of the trapeze bar, turn the lock pin counter-clockwise to loosen the bottom holder securing the straight up-right frame and move the frame up or down. Re-tighten the holder.
11. To adjust the position of the Triangle Grab Bar, loosen the holder securing the grab bar assembly, slide the assembly forwards or backwards. Re-tighten the holder.

LIMITED LIFETIME WARRANTY

Your Dynarex Product is warrantied to be free of defects in materials and workmanship for the lifetime of the product for the original purchaser. This item was built to exacting standards and carefully inspected prior to shipment. This Limited Lifetime Warranty is an expression of our confidence in the materials and workmanship of our products and our assurance to the consumer of years of dependable service.

The Warranty shall not apply under the following conditions:

- Problems arising from normal wear
- Problems arising from failure to adhere to the product instructions
- Problems arising from misuse, negligence, accident or improper operation, maintenance or storage
- Problems arising from modifications or unauthorized repairs, parts or attachments
- Products where the serial number has been removed or defaced
- Problems with non-durable components, such as rubber accessories, casters, and grips, which are subject to normal wear and need periodic replacement

Dynarex shall not be liable for any consequential or incidental damages whatsoever. Dynarex shall repair or replace defective products at its option. The foregoing warranty is exclusive and in lieu of other express warranties, if any, including the implied warranties of merchantability and fitness of a particular purpose. The remedy for any violation of the implied warranty shall be limited to repair or replacement of the defective product pursuant to the terms contained herein.

If you have a question about your Dynarex device or this warranty, please contact an authorized Dynarex dealer.

Manufactured for: Dynarex Corporation
11 Dynarex Drive • Middletown, NY 10941
USA • www.dynarex.com
Symbol Glossary: dynarex.com/symbols.php
Made in China R250130

⚠**WARNING:**
Cancer and Reproductive Harm
www.P65Warnings.ca.gov